Journal of Applied Polymer Science

Author Index to Volume 60

Abraham, J.
—; Pillai, V. N. R.: Membrane-Encapsulated Controlled-Release Urea Fertilizers Based on Acrylamide Copolymers, 2347
Acosta, J. L.
—; Morales, E.: Ionic Conductive Polymer Systems Based on Polyether and Polyphosphazene Blends, 1185
—; See del Río, C., 133, 399
Akar, A. See Kizilcan, N., 465
Alcántar, N. A.
—; Salinas, M. Del R.; Herrera, R.; Manero, O.: Erratum to "Rheological Characterization of 4,4'-Bis-(diethylamino)benzophenone-Functionalized Polybutadienes with Low and Medium Vinyl Content", 481
Alexandrova, I.
—; Iordanov, G.: Nickel Transfer and Selective Transport Through Weak Acid Ion-Exchange Membrane Based on Poly(vinyl chloride)/Poly(methylmethacrylate-*co*-divinylbenzene) System, 721
Ali, A. A. See Hebeish, A., 2165
Alimi, K. See Safoula, G., 1733
Alonso, M. See Rodríguez-Cabello, J. C., 1709
An, J.
—; Ge, J.; Liu, Y.: Special Effect of Epoxy Resin E-44 on Compatibility and Mechanical Properties of Poly(butylene terephthalate)/Polyamide-6 Blends, 1803
An, K. H. See Yang, K. S., 1033
Anandhi, K. See Santhanalakshmi, J., 293
Andrianov, A. K.
—; Le Golvan, M. P.: Characterization of Poly[di-(carboxylatophenoxy)phosphazene] by an Aqueous Gel Permeation Chromatography, 2289
Andrio, A. See Compañ, V., 767
Angulo-Sánchez, J. L. See Berlanga-Duarte, M. L., 413
Anil Kumar, S.
—; Gedam, P. H.; Prasad, V. S. K.; Kumaran, M. G.; Thomas, S.: Pervaporation of Chlorinated Hydrocarbon–Acetone Mixtures Through Poly(ethylene-*co*-Vinyl Acetate) Membranes, 735
Annapoorni, S. See Ram, M. K., 407
Arai, K.
—; Naito, S.; Dang, V. B.; Nagasawa, N.; Hirano, M.: Crosslinking Structure of Keratin. VI. Number, Type, and Location of Disulfide Crosslinkages in Low-Sulfur Protein of Wool Fiber and Their Relation to Permanent Set, 169
Armat, R.
—; Bike, S. G.; Chu, G.; Jones, F. N.: Rheological Behavior of Solutions of Amphiphilic Acrylic Copolymers in Mixed Solvents, 1927
Awasthi, V. K. See Kamle, S., 343
Azam Ali, M.
—; Khan, M. A.; Idriss Ali, K. M.: A Comparative Study of Electron Beam and Ultraviolet-Cured Films of Urethane Acrylate, 879

Bachtsi, A. R.
—; Boutris, C. J.; Kiparissides, C.: Production of Oil-Containing Crosslinked Poly(vinyl alcohol) Microcapsules by Phase Separation: Effect of Process Parameters on the Capsule Size Distribution, 9
Bae, S.-Y. See Kumazawa, H., 115
Baer, E. See Jarus, D., 209
Bai, G.
—; Weng, Y.; Hu, X.: Surface Modification of Polyolefine by UV Light/ozone Treatment, 2397
Bajpai, A. K.
—; Dengre, R.: Dynamics of the Adsorption of Egg Albumin at the Silica–Solution Interface, 2219
Banerjee, A. N.
—; Saha, N.; Mitra, B. C.: Flexural Behavior of Unidirectional Polyethylene–Carbon Fibers–PMMA Hybrid Composite Laminates (Note), 139
—; See Saha, N., 657; Semwal, R. P., 29
Banks, W. B. See Lawther, J. M., 1827
Bantjes, A. See Feng, M., 477
Baruah, S. D.
—; Laskar, N. C.: Styrene–Maleic Anhydride Copolymers: Synthesis,

Characterization, and Thermal Properties, 649
—; See Goswami, A., 991
Basu, D. K. See Biswas, T., 1349; Debnath, S. C., 845
Bates, J. S. See Hourston, D. J., 2409
Baysal, B. M.
—; Uyanik, N.; Hamurcu, E. E.; Cvetkovska, M.: Styrene Polymerization with a Macroinitiator Having Siloxane Units, 1369
—; See Eroğlu, M. S., 2141
Becker, M. See Hicke, H.-G., 1147
Beinor, R. T. See Schloman, W. W., Jr., 1015
Beltrame, P. L.
—; Castelli, A.; Di Pasquantonio, M.; Canetti, M.; Seves, A.: Influence of Interfacial Agents on the Physicochemical Characteristics of Binary Polyethylene/Polyamide 6 and Ternary Polyethylene/Polypropylene/Polyamide 6 Blends, 579
Berenguer, V. See Jimenez, A., 2041
Beretta, S. See Freddi, G., 1867
Berger, A. E. See Hartmann, B., 1985
Berghmans, H. See De Cooman, R., 1127; Heinze, T., 1891
Berlanga-Duarte, M. L.
—; Angulo-Sánchez, J. L.; González-Cantú, M. C.: Study of Polyethylene Photodegradation in Formulations with a System of Interacting Photostabilizers and Antioxidants, 413
Bernede, J. C. See Safoula, G., 1733
Bertóti, I. See Tóth, A., 1883
Berwald, S. See Garg, D. H., 2087
Bhattacharya, A. See Semwal, R. P., 29
Bhattacherjee, S. See Sao, K. P., 919
Bhowmick, A. K. See Datta, S. K., 1329
Bhuvanesh, Y. C. See Gupta, V. B., 1951
Bike, S. G. See Armat, R., 1927
Bikiaris, D. N.
—; Karayannidis, G. P.: Thermomechanical Analysis of Chain-Extended PET and PBT, 55
Bilgiç, T. See Kahraman, R., 333
Biswas, M.
—; Roy, A.: Ferric Chloride-Initiated Polymerization of Pyrrole in Presence of *N*-Vinyl Carbazole in Aqueous Suspension (Note), 143
Biswas, T.
—; Basu, D. K.: Cure Synergism in XNBR Vulcanization in Presence of Thiophosphoryl Disulfides and Amine Disulfide/Thiazole Accelerators, 1349
Blanch, H. W. See Sassi, A. P., 225
Blom, H. P.
—; Teh, J. W.; Rudin, A.: i-PP/HDPE Blends. II. Modification with EPDM and EVA, 1405
Böhme, P. See Hicke, H.-G., 1147
Bojanić, V.
—; Jovanović, S.; Tabaković, R.; Tabaković, I.: Synthesis and Electrochemistry of Grafted Copolymers of Cellulose with 4-Vinylpyridine, 1-Vinylimidazole, 1-Vinyl-2-pyrrolidinone, and 9-Vinylcarbazole, 1719
Books, J. T. See Radloff, D., 715
Botter, W., Jr. See Soares, R. F., 2001
Boutahar, K.
—; Carrot, C.; Guillet, J.: Polypropylene during Crystallization from the Melt as a Model for the Rheology of Molten-Filled Polymers, 103
Boutris, C. J. See Bachtsi, A. R., 9
Braun, D.
—; Klein, M.; Hellmann, G. P.: Toughened Blends of Polystyrene and Polybutadiene Filled with Chalk, 981
Bretas, R. E. S. See Gabellini, G., 21
Brooks, B. W. See Zerfa, M., 2077
Brues, M. J. See McCaffrey, W. C., 2133
Brzozowski, Z. K. See Noniewicz, K., 1071
Bucheńska, J.
^{1}H-NMR Spectroscopic Investigation of Polyamide Fibers Grafted with Vinyl Monomers, 519
Bulmuş, V.
—; Tuncel, A.; Pişkin, E.: Production of Polymethylmethacrylate Particles by Dispersion Polymerization in Aqueous Media with Ceric Ammonium Nitrate, 697
Bürger, W. See Lunkwitz, K., 2017

Cádiz, V. See Galià, M., 2177
Cai, R.-F. See Huang, Z.-E., 573
Cakmak, M. See Ulcer, Y., 669
Calo, P. See Sterzynski, T., 1201
Canetti, M. See Beltrame, P. L., 579
Canpolat, M. See Pekcan, Ö., 2105
Cardenas, A.
—; Hovnanian, N.; Smaihi, M.: Sol-Gel Formation of Heteropolysiloxanes from Diethylphosphatoethyltriethoxy Silane and Tetraethoxysilane, 2279
Carrasco, F. See Pagès, P., 153
Carriedo, G. A.
—; Fernández-Catuxo, L.; García Alonso, F. J.; Gómez Elipe, P.; González, P. A.; Sánchez, G.: Erratum to "On the Synthesis of Functionalized Cyclic and

Polymeric Aryloxyphosphazines from Phenols", 2307
Carrot, C. See Boutahar, K., 103
Cassagnau, P.
—; Taha, M.: The Concept of Conversion Distribution in Reactive Processing, 1765
—; See Flores, R., 1439
Castellanos, F.
—; Fouassier, J. P.; Priou, C.; Cavezzan, J.: Synthesis, Reactivity, and Properties of New Diaryliodonium Salts as Photoinitiators for the Cationic Polymerization of Epoxy Silicones, 705
Castelli, A. See Beltrame, P. L., 579
Cavaille, J. Y. See Flores, R., 1439
Cavezzan, J. See Castellanos, F., 705
Cazacu, M.
—; Marcu, M.; Drăgan, S.; Matricală, C.: Anionic Polymerization of Cyclosiloxanes in Heterogeneous Medium, 731
Cazeca, M. See Masse, C. E., 513
Chaki, T. K. See Datta, S. K., 1329
Chakrabarty, D.
—; Das, B.: Epoxy–Poly(butyl methacrylate) Interpenetrating Polymer Networks: Morphology and Various Physical, Mechanical, and Thermal Properties, 2125
Chandrasekhar, T. M.
—; White, R. L.: Effects of Alkali Halides on the Thermal Decompositions of Poly(methyl methacrylate) and Poly(2-hydroxy ethyl methacrylate), 1209
Chang, C.-C. See Wang, H.-H., 1579
Chang, F.-C. See Chin, H.-C., 2503
Chang, H. H. See Lee, J. J., 2265
Chang, J.-H.
—; Jo, B.-W.: Blends of PBT with Rigid Thermotropic LCP having Flexible Side Groups: Comparison of Their Tensile Properties with Semirigid Main-Chain TLCP Blends, 939
Chang, Y. H. See Chen, W. C., 1379
Chao, D. Y. See Lee, J. J., 2265
Chauhan, L. R. See Semwal, R. P., 29
Chauhan, R. S. See Murthy, L. V. R., 147
Chee, K. K. See Gan, L. H., 271
Chen, C. Y. See Wang, C. C., 493
Chen, J. H. See Chen, W. C., 1379
Chen, M. F. See Poh, B. T., 1569
Chen, T. See Guo, Q., 807
Chen, T.-M.
—; Wang, Y.-F.; Li, Y.-J.; Nakaya, T.; Sakurai, I.: Studies on the Synthesis and Properties of Novel Phospholipid Analogous Polymers, 455
Chen, W. C.
—; Chen, J. H.; Yang, S. Y.; Cherng, J. Y.; Chang, Y. H.; Ho, B. C.: Preparation of Gradient-Index (GRIN) Polymer Fibers for Imaging Applications, 1379
Chen, W.-H. See Kuo, P.-L., 815
Chen, X. See Jia, W., 2317; Li, M., 2185
Chen, Y. See Hu, Z., 221; Huang, Z.-E., 573
Cheng, G. X. See De Yao, K., 279
Cheong, S. H. See Yoon, B. S., 1677
Chern, C. S.
—; Hsu, H.; Lin, F. Y.: Stability of Acrylic Latices in a Semibatch Reactor, 1301
Cherng, J. Y. See Chen, W. C., 1379
Chew, C. H. See Chieng, T. H., 1561
Chian, K. S. See Yue, M. Z., 597
Chieng, T. H.
—; Gan, L. M.; Chew, C. H.; Ng, S. C.; Pey, K. L.: Formation of Microporous Polymeric Materials By Microemulsion Polymerization of Methyl Methacrylate and 2-Hydroxyethyl Methacrylate, 1561
Chin, H.-C.
—; Chiou, K.-C.; Chang, F.-C.: Reactive Compatibilization of the Poly(Ethylene Terephthalate)/Liquid Crystalline Polymer Blends by Solid Epoxy Resin as a Coupling Agent, 2503
Chiou, K.-C. See Chin, H.-C., 2503
Chmielewska, E. See Matynia, T., 1971
Cho, C.-S.
—; Ha, J.-H.; Kim, S.-H.; Han, S.-Y.; Kwon, J.-K.; Sung, Y.-K.: Tetracycline Release from Bioerodible Hydrogels Based on Semiinterpenetrating Polymer Networks Composed of Poly(ε-caprolactone) and Poly(ethylene glycol) Macromer *In Vitro*, 161
Choi, C. H.
—; Yoon, L. K.; Kim, B. K.: Polypropylene Blends with a Phenoxy, 779
—; See Kim, B. K., 2199
Choi, C. N. See Yang, K. S., 1033
Chu, C.-H.
—; Kumagai, H.; Nakamura, K.: Application of Polyelectrolyte Complex Gel Composed of Xanthan and Chitosan to the Immobilization of *Corynebacterium glutamicum*, 1041
Chu, G. See Armat, R., 1927
Chum, S. P. See Patel, R. M., 749
Colom, X. See Pagès, P., 153

Compañ, V.
—; Diaz-Calleja, R.; Ribes, A.; Andrio, A.; López, M. L.; Riande, E.: Mechanical Relaxations and Diffusive Changes in Linear Low Density Polyethylene (LLDPE) Films Subject to Induced Stretching, 767
Conroy, J. L. See Masse, C. E., 513
Cooper, D. G. See McCaffrey, W. C., 2133
Couchman, P. R.
The Viscosity of Miscible Blends, 1057
Cunningham, R. L.
Effect of Processing Conditions on Intrinsic Viscosity of Extruded Cornstarch, 181
Cvetkovska, M.
—; Grchev, T.; Obradovic, T.: Electroconductive Polymer Composite—Fibrous Carrier–Polypyrrole, 2049
—; See Baysal, B. M., 1369

Da Silva, N. M.
—; Tavares, M. I. B.: Characterization of EPDM/Atactic Polypropylene Blends by High-Resolution Solid-State NMR, 663
—; Tavares, M. I. B.; De Menezes, S. M. C.: Carbon-13 Assignments of EPDM/PP Atactic Blends by DEPT and HETCOR, 1419
Dakin, V. I.
Elastic Characteristics of Branched-Network Polymers, 999
Dang, V. B. See Arai, K., 169
Das, B. See Chakrabarty, D., 2125
Dass, N. N. See Goswami, A., 991
Datta, S. K.
—; Bhowmick, A. K.; Tripathy, D. K.; Chaki, T. K.: Effect of Electron Beam Radiation on Structural Changes of Trimethylol Propane Trimethacrylate, Ethylene Vinyl Acetate, and Their Blends, 1329
De Araújo, M. S.
—; Simal, A. L.: Carrier Effect on Structure and Properties of Heat-Treated Poly(Ethylene *Terephthalate*) Fibers. I. Thermal Analysis and Dynamic Mechanical Properties, 2437
—; See Simal, A. L., 2453
De Bignicourt, M.-C. See Veron, L., 235
De Cooman, R.
—; Vandeweerdt, P.; Berghmans, H.; Koningsveld, R.: Solution Spinning of Fibers with Oriented Porosity, 1127
De Menezes, S. M. C. See Da Silva, N. M., 1419
de Moraes, M. B. See Gabellini, G., 21
De Oliveira, W.
—; Glasser, W. G.: Hydrogels from Polysaccharides. I. Cellulose Beads for Chromatographic Support, 63
De Yao, K.
—; Liu, J.; Cheng, G. X.; Lu, X. D.; Tu, H. L.; Lopes da Silva, J. A.: Swelling Behavior of Pectin/Chitosan Complex Films, 279
Debnath, S. C.
—; Basu, D. K.: Studies on the Effect of Thiuram Disulfide on NR Vulcanization Accelerated by Thiazole-Based Accelerator Systems, 845
Del Nobile, M. A. See Esposito, F., 2403
del Río, C.
—; Acosta, J. L.: Extrinsic Conducting and Superconducting Polymer Systems. III. Electrical Properties of PVDF/PS Blends Containing Copper, Carbon Black, and YBaCuO Fillers, 133
—; Acosta, J. L.: Extrinsic Conducting and Superconducting Polymer Systems. IV. Superconducting Properties of YBaCuO Composites Based on PVDF/PS/Carbon Black and PVDF/PS/Copper Polymer Systems, 399
Del Salinas, M. R. See Alcántar, N. A., 481
Delair, T. See Veron, L., 235
Dengre, R. See Bajpai, A. K., 2219
Denizli, A. See Salih, B., 871
Deopura, B. L. See Mahajan, S. J., 1517, 1527, 1539, 1551
Di Pasquantonio, M. See Beltrame, P. L., 579
Diaz-Calleja, R. See Compañ, V., 767
Ding, B. S. See Poh, B. T., 1569
Ding, M. See Tang, H., 725
Ding, Y. See Liu, Z., 1089
Dionísio, M. S. C.
—; Moura Ramos, J. J.; Fernandes, A. C.: Dielectric Studies on the Miscibility in Poly(vinyl Acetate)/Poly(ethyl Methacrylate) Blends, 903
Diwan, S. M. See Nair, K. C. M., 1483
Do, I. H. See Kim, B. K., 2207
Do, J. H. See Park, L. S., 2059
Dong, L. See Tang, H., 725
Donzella, G. See Palumbo, M., 47
Dowling, K. C. See Radloff, D., 715
Drăgan, S. See Cazacu, M., 731

Edie, D. D. See Newell, J. A., 825
Eichhorn, K.-J. See Garg, D. H., 2087
El-Agamy, R. M. See Fouda, I. M., 1247, 1269
El-Bakary, M. A. See Hamza, A. A., 1289
Ellaboudy, A. S.
—; O'Connor, P. J.; Tou, J. C.: Correlated Electron Spin-Resonance and Infrared

Spectroscopic Study of the Postformation Auto-Oxidation Phenomenon in Plasma-Polymerized 4-Vinyl Pyridine Films, 637
El-Nicklawy, M. M. See Fouda, I. M., 1247, 1269
El-Sharkawy, F. M. See Hamza, A. A., 1239
El-Tonsy, M. M. See Hamza, A. A., 1239
Engin, B. See Salih, B., 871
Erbil, H. Y.
—; Hazer, B.: Surface Free Energy Analysis of Polystyrene–Poly(β-hydroxynonanoate) Graft Copolymers, 1313
Erdoğan, M. See Kahraman, R., 333
Eroğlu, M. S.
—; Güven, O.: Spectroscopic and Thermal Characterization of Poly(glycidyl azide) Converted from Poly(epichlorohydrin), 1361
—; Hazer, B.; Güven, O.; Baysal, B. M.: Preparation and Thermal Characterization of Block Copolymers By Macroazonitriles Having Glycidyl Azide and Epichlorohydrin Moieties, 2141
Esposito, F.
—; Del Nobile, M. A.; Mensitieri, G.; Nicolais, L.: Water Sorption in Cellulose-Based Hydrogels, 2403

Fang, L. P. See Xu, M. X., 1595
Fanta, G. F. See Trimnell, D., 285
Fedderly, J. J. See Hartmann, B., 1985
Feitosa De Britto, A. R.
—; Ximenes, M. I. N.; Gomes De Barros, G.: Morphological Studies of the Modified Materials: Low-Density Polyethylene/Poly(acrylic acid)/Europium(III) and Low-Density Polyethylene/Poly(acrylic acid)/Uranyl Ion, 1793
Feng, M.
—; van der Does, L.; Bantjes, A.; van Berkel, P. M.; Reedijk, J.: Structure of a Complex of Iron(III) with a Crosslinked Copolymer of 1-(β-Acrylamidoethyl)-3-hydroxy-2-methyl-4(1H)-pyridinone and *N,N*-Dimethylacrylamide (Note), 477
Feng, Z. See Tang, H., 725
Fernandes, A. C. See Dionísio, M. S. C., 903
Fernández-Catuxo, L. See Carriedo, G. A., 2307
Ferruti, P. See Palumbo, M., 47
Fiebig, J. See Kim, G.-M., 1391
Filimonova, L. V. See Gorelova, M. M., 363
Fink, A. See Geckeler, K. E., 2191
Flores, R.
—; Perez, J.; Cassagnau, P.; Michel, A.; Cavaille, J. Y.: Dynamic Mechanical Behavior of Poly(vinyl chloride)/Poly(methyl methacrylate) Polymer Blend, 1439
Fonseca De Freitas, M.
—; Pinto, J. C.: Dynamics of Continuous Isobutylene Cationic Polymerizations, 1109
Fouassier, J. P. See Castellanos, F., 705
Fouda, A. See Yamasaki, A., 743
Fouda, I. M.
—; El-Nicklawy, M. M.; Nasr, E. M.; El-Agamy, R. M.: Optothermal Properties of Fibers III. Optical Anisotropy in Nylon 66 Fiber as a Function of Annealing Process, 1247
—; El-Nicklawy, M. M.; Nasr, E. M.; El-Agamy, R. M.: Optothermal Properties of Fibers IV. Optical Properties of Nylon 66 Fibers as a Function of Quenching Process, 1269
—; See Hamza, A. A., 1239, 1289
Frazier, C. E. See Toffey, A., 75
Freddi, G.
—; Massafra, M. R.; Beretta, S.; Shibata, S.; Gotoh, Y.; Yasui, H.; Tsukada, M.: Structure and Properties of *Bombyx mori* Silk Fibers Grafted with Methacrylamide (MAA) and 2-Hydroxyethyl Methacrylate (HEMA), 1867
—; See Tsukada, M., 1619
Fuad, M. Y. A. See Wang, J., 1425
Fujii, N. See Wang, H. Y., 2339
Fujita, I. See Kawabata, N., 911
Fukuda, W. See Iijima, T., 37
Fuller, E. L., Jr. See Newell, J. A., 825

Gabellini, G.
—; de Moraes, M. B.; Bretas, R. E. S.: Poly(*p*-phenylene sulphide)/Liquid Crystalline Polymer Blends. I. Miscibility and Morphologic Studies, 21
Gahleitner, M. See Kim, G.-M., 1391
Galembeck, F. See Soares, R. F., 2001
Galià, M.
—; Monte, D.; Serra, A.; Mantecón, A.; Cádiz, V.: Modification of DGEBA with Diimide–Diacids Derived from Bicyclo[2.2.2]oct-7-ene-2,3,5,6-tetracarboxylic Dianhydride and Crosslinking Study, 2177
Gan, L. H.
—; Chee, K. K.: Binary Interactions in Dimethyl Terephthalate/bis(2-ethylhexyl)adipate/Poly(vinyl chloride) Blends Studied by Melting Point Depression Method, 271
Gan, L. M. See Chieng, T. H., 1561
Gangadhara
—; Jayanthi, S.; Kishore, K.:

Synthesis and Mesogenic Behavior of Metal-Containing Liquid Crystalline Networks, 791
García Alonso, F. J. See Carriedo, G. A., 2307
Garg, D. H.
—; Lenk, W.; Berwald, S.; Lunkwitz, K.; Simon, F.; Eichhorn, K.-J.: Hydrophilization of Microporous Polypropylene Celgard® Membranes by the Chemical Modification Technique, 2087
Gatenholm, P. See Hedenberg, P., 2377
Gawdzik, B. See Matynia, T., 1971
Ge, J. See An, J., 1803
Geckeler, K. E.
—; Zhou, R.; Fink, A.; Rivas, B. L.: Synthesis and Properties of Hydrophilic Polymers. III. Ligand Effects of the Side Chains of Polyaziridines on Metal Complexation in Aqueous Solution, 2191
Gedam, P. H. See Anil Kumar, S., 735
Geißler, U. See Lunkwitz, K., 2017
Gerard, J. F. See Nabeth, B., 2113
Geyser, M.
—; McGill, W. J.: Thiuram-Accelerated Sulfur Vulcanization. I. The Formation of the Active Sulfurating Agent, 425
—; McGill, W. J.: Thiuram-Accelerated Sulfur Vulcanization. II. The Formation of Crosslink Precursors, 431
—; McGill, W. J.: Thiuram-Accelerated Sulfur Vulcanization. III. The Formation of Crosslinks, 439
—; McGill, W. J.: Thiuram-Accelerated Sulfur Vulcanization. IV. Zinc Dimethyldithiocarbamate-Accelerated Sulfur Vulcanization, 449
Ghosh, K.
—; Maiti, S. N.: Mechanical Properties of Silver-Powder-Filled Polypropylene Composites, 323
Giddings, J. C. See Shiundu, P. M., 1695
Gill, W. N. See Kulkarni, A., 483
Gilman, J. W.
—; Schlitzer, D. S.; Lichtenhan, J. D.: Low Earth Orbit Resistant Siloxane Copolymers, 591
Glasser, W. G. See De Oliveira, W., 63; Toffey, A., 75
Gomes De Barros, G. See Feitosa De Britto, A. R., 1793
Gómez Elipe, P. See Carriedo, G. A., 2307
González, P. A. See Carriedo, G. A., 2307
González-Cantú, M. C. See Berlanga-Duarte, M. L., 413
Gooch, J. W. See Wang, S. T., 2069
Gorelova, M. M.
—; Pertsin, A. J.; Volkov, I. O.; Filimonova, L. V.; Obolonkova, E. S.: Effect of Deformation on the Surface Composition of Multicomponent Polymers: Blends of Poly(dimethyl siloxane) in Polychloroprene, 363
Goswami, A.
—; Baruah, S. D.; Dass, N. N.: Polymerization of Methyl Methacrylate by Imidazole–Carbon Tetrachloride Charge-Transfer System, 991
Gotoh, Y. See Freddi, G., 1867
Grchev, T. See Cvetkovska, M., 2049
Greener, E. H. See Waldmeier, M. D., 1169, 2025, 2033, 2489
Grobelny, J. See Magagnini, P. L., 1665
Gueugnaut, D. See Sterzynski, T., 1201
Guillet, J. See Boutahar, K., 103
Gunatillake, P. A. See Martin, D. J., 557
Güney, O. See Özeroğlu, C., 759
Güngör, A. See Salahov, M. S., 1629
Guo, J.-S. See Xie, H.-Q., 537
Guo, Q.
—; Huang, J.; Chen, T.: Miscibility and Phase Behavior in Blends Containing Random Copolymers of Poly(ether ether ketone) and Phenolphthalein Poly(ether ether ketone), 807
Gupta, N. See Pande, C. S., 1601
Gupta, V. B.
—; Bhuvanesh, Y. C.: Processability and Properties of Yarns Made from Polypropylene Containing Small Amounts of Polystyrene, 1951
Güven, O. See Eroğlu, M. S., 1361, 2141

Ha, J.-H. See Cho, C.-S., 161
Halldén, Å.
—; Wesslén, B.: Preparation and Characterization of Poly(ethylene-*graft*-ethylene oxide), 2495
Hamada, H.
—; Tsunasawa, H.: Correlation Between Flow Mark and Internal Structure of Thin PC/ABS Blend Injection Moldings, 353
Hamielec, A. E. See Ma, M., 2039
Hamurcu, E. E. See Baysal, B. M., 1369
Hamza, A. A.
—; Fouda, I. M.; El-Tonsy, M. M.; El-Sharkawy, F. M.: Optothermal Properties of Fibers. II. Annealing Effect on the Birefringence Variations of Polyester Fibers, 1239
—; Fouda, I. M.; Sokkar, T. Z.; El-Bakary, M. A.: Optothermal Properties of

Fibers. V. Optical Anisotropy in Silk Fibers as a Function of Annealing Process, 1289
Han, D. See Ye, M., 317
Han, S.-Y. See Cho, C.-S., 161
Hao, S. See Liu, Z., 1089
Haraguchi, T. See Yamada, K., 1847
Hartmann, B.
—; Lee, G. F.; Lee, J. D.; Fedderly, J. J.; Berger, A. E.: Calculation of Relaxation Time in Polyurethanes Using Additive Group Contributions, 1985
Hawthorne, D. G. See Varley, R. J., 2251
Hayashi, N. See Takahashi, T., 1061
Hayashi, S. See Takahashi, T., 1061
Haycook, D. See Keshavaraj, R., 2329
Hazer, B. See Erbil, H. Y., 1313; Eroğlu, M. S., 2141
Hebeish, A.
—; Refai, R.; Zahran, M. K.; Ali, A. A.: Easy-Care Properties of Simultaneously Grafted and Crosslinked Cotton Fabrics, 2165
Hedenberg, P.
—; Gatenholm, P.: Conversion of Plastic/Cellulose Waste into Composites II. Improving Adhesion Between Polyethylene and Cellulose Using Ozone, 2377
Heinze, T.
—; Rahn, K.; Jaspers, M.; Berghmans, H.: Thermal Studies on Homogeneously Synthesized Cellulose *p*-Toluenesulfonates, 1891
Hellmann, G. P. See Braun, D., 981
Herrera, R. See Alcántar, N. A., 481
Hicke, H.-G.
—; Böhme, P.; Becker, M.; Schulze, H.; Ulbricht, M.: Immobilization of Enzymes onto Modified Polyacrylonitrile Membranes: Application of the Acyl Azide Method, 1147
Higuchi, A. See Hwang, J. R., 1343
Hiltner, A. See Jarus, D., 209
Hilton, A. S. See Schloman, W. W., Jr., 1015
Hirano, M. See Arai, K., 169
Hnatowicz, V. See Jankovskij, O., 1455
Ho, B. C. See Chen, W. C., 1379
Ho, T.-H.
—; Wang, J.-H.; Wang, C.-S.: Modification of Epoxy Resins with Polysiloxane TPU for Electronic Encapsulation. II, 1097
Hodgkin, J. H. See Varley, R. J., 2251
Hornsby, P. R. See Wang, J., 1425
Hourston, D. J.
—; Schäfer, F.-U.; Bates, J. S.: Synthesis, Characterization, and Properties of Interpenetrating Polymer Networks Containing Functionalized Latex Particles, 2409
Hovnanian, N. See Cardenas, A., 2279
Hsiung, C. M. See Ulcer, Y., 669
Hsu, H. See Chern, C. S., 1301
Hu, J. See Sheng, J., 1499
Hu, X. See Bai, G., 2397
Hu, Z.
—; Chen, Y.; Lang, J. C.: Kinetics of Ion-Induced Gelation in Carrageenan Gels Under Physiologic Conditions, 221
Huang, G.-Y. See Lee, W.-F., 187
Huang, J. See Guo, Q., 807
Huang, J.-S. See Wang, Y., 1779
Huang, X.-D. See Xie, H.-Q., 537
Huang, Z.-E.
—; Chen, Y.; Cai, R.-F.; Rui, C.-G.; Zhang, F.-P.: First Electrochemical Intercalation of Lithium into Fullerenated Poly(*N*-vinylcarbazole), 573
Huskić, M.
Kinetics and Extent of Low-Temperature Crystallization of Ethylene–Vinyl Acetate Copolymers, 1741
Hwang, H.-J. See Wang, C.-S., 857
Hwang, J. R.
—; Koo, S.-H.; Kim, J.-H.; Higuchi, A.; Tak, T.-M.: Effects of Casting Solution Composition on Performance of Poly(ether sulfone) Membrane, 1343

Idriss Ali, K. M. See Azam Ali, M., 879; Khabir Uddin, M., 887
Ihm, D. J.
—; White, J. L.: Interfacial Tension of Polyethylene/Polyethylene Terephthalate with Various Compatibilizing Agents, 1
Ihm, D. W. See Kang, C.-K., 2007
Iijima, T.
—; Nishina, T.; Fukuda, W.; Tomoi, M.: Effect of Matrix Compositions on Modification of Bismaleimide Resin by *N*-Phenylmaleimide–Styrene Copolymers, 37
Ikada, Y. See Tsuji, H., 2367
Inoue, H.
—; Sasaki, Y.; Ogawa, T.: Comparison of One-Pot and Two-Step Polymerization of Polyimide from BPDA/ODA, 123
—; Sasaki, Y.; Ogawa, T.: Equilibrium of One-Pot Polymerization of Polyimide, 201
Inoue, T. See Kawabata, N., 911
Iordanov, G. See Alexandrova, I., 721
Ishikawa, M. See Yanagase, A., 87
Ito, M. See Yanagase, A., 87

Iwasaki, T. See Matsumoto, K., 503
Iyengar, N. G. R. See Kamle, S., 343

Jain, P. See Patel, R. M., 749
Jang, J.
—; Kim, H. S.: Performance Improvement of Glass Fiber–Polyphenylene Sulfide Composite, 2297
Jankovskij, O.
—; Švorčík, V.; Rybka, V.; Hnatowicz, V.: Modification of Polyethylene Properties by Implantation with F^+ Ions and Iodination, 1455
Jarus, D.
—; Scheibelhoffer, A.; Hiltner, A.; Baer, E.: The Effect of "Skin-Core" Morphology on the Heat-Deflection Temperature of Polypropylene, 209
Jaspers, M. See Heinze, T., 1891
Jayanthi, S. See Gangadhara, 791
Jegal, J.
—; Lee, K.-H.: Development of Polyion Complex Membranes for the Separation of Water–Alcohol Mixtures. III. Preparation of Polyion Complex Membranes Based on the k-Carrageenan for the Pervaporation Separation of Water-Ethanol, 1177
Jehnichen, D. See Lunkwitz, K., 2017
Jeon, J.-Y.
—; Kim, J.-H.; Tak, T.-M.: Synthesis of Aliphatic-Aromatic Polyimides by Two-Step Polymerization of Aliphatic Dianhydride and Aromatic Diamine, 1921
—; Tak, T.-M.: Synthesis and Characterization of Polyimides by Use of Metal Salts and Phosphorous Compounds in the Presence of Solvent, 2353
Jia, L.
—; Xu, X.; Zhang, H.; Xu, J.: Sulfonation of Polyetheretherketone and Its Effects on Permeation Behavior to Nitrogen and Water Vapor, 1231
Jia, W.
—; Chen, X.; Li, S.: Effects of Irradiation on PTC Performance of LDPE/EPDM Blends Filled with Carbon Blacks, 2317
Jiang, X. L. See Masse, C. E., 513
Jimenez, A.
—; Berenguer, V.; Lopez, J.; Vilaplana, J.: A New Mathematical Model on the Thermal Degradation of Industrial Plastisols, 2041
Jin, G. See Zhao, W., 1083
Jin, S. R. See Yang, K. S., 1033
Jing, X. See Ye, C., 1877
Jo, B.-W. See Chang, J.-H., 939
Jones, F. N. See Armat, R., 1927; Teng, G., 1609
Jose, L.
—; Pillai, V. N. R.: Transition Metal Complexes of Polymeric Amino Ligands Derived from Triethyleneglycol Dimethacrylate Crosslinked Polyacrylamides, 1855
Jovanović, S. See Bojanić, V., 1719

Kaczmarczyk, B. See Magagnini, P. L., 1665
Kaczmarek, H.
—; Linden, L. Å.; Rabek, J. F.: Structure of Poly(acrylic acid)–Hf,Ti,Zr(IV) chloride Gels and Their Potential Application in Dentistry, 2321
Kahraman, R.
—; Erdoğan, M.; Bilgiç, T.: Polymerization of Propylene Using a Prepolymerized High-Active Ziegler–Natta Catalyst. I. Kinetic Studies, 333
Kajiyama, T. See Yamada, K., 1847
Kaliyappan, T. See Kannan, P., 947
Kamal, M. R. See McCaffrey, W. C., 2133
Kamle, S.
—; Upreti, S. R.; Awasthi, V. K.; Singh, M. P.; Iyengar, N. G. R.; Kumar, A.: Experimental Correlation of Mechanical Properties of Joints and Transverse Vibrations in PMMA Beams, 343
Kang, B. G.
—; Yoon, S. H.; Lee, S. H.; Yie, J. E.; Yoon, B. S.; Suh, M. H.: Studies on the Physical Properties of Modified Starch-Filled HDPE Film, 1977
Kang, C.-K.
—; Lee, B. C.; Ihm, D. W.: Modeling of Semibatch Direct Esterification Reactor for Poly(Ethylene Terephthalate) Synthesis, 2007
Kang, E. T. See Zhang, X., 625
Kannan, P.
—; Kaliyappan, T.: Studies on Poly(2-hydroxy-4-acryloyloxybenzophenone)–Metal Complexes, 947
Karayannidis, G. P. See Bikiaris, D. N., 55
Kato, H. See Tsukada, M., 1619
Kawabata, N.
—; Fujita, I.; Inoue, T.: Removal of Virus from Water by Filtration Using Microporous Membranes Made of Poly(*N*-Benzyl-4-Vinylpyridinium Chloride), 911
Kaya, D. See Pekcan, Ö., 2105
Keshavaraj, R.
—; Tock, R. W.; Haycook, D.: Airbag Fabric Material Modeling of Nylon and Polyester Fabrics Using a Very Simple Neural Network Architecture, 2329

Khabir Uddin, M.
—; Khan, M. A.; Idriss Ali, K. M.: Development of Polymer Films and Its Application on Leather Surfaces, 887
Khali, D. P. See Rawat, S. P. S., 787
Khan, M. A. See Azam Ali, M., 879; Khabir Uddin, M., 887
Khotimsky, V. S. See Tóth, A., 1883
Kikukawa, S. See Yoshii, F., 617
Kim, B. K.
—; Choi, C. H.: Reactive Extrusion of Polyolefin Ternary Blends, 2199
—; Do, I. H.: Particles vs. Fibrillar Morphology in Polyolefin Ternary Blends, 2207
—; See Choi, C. H., 779; Lee, K. H., 799
Kim, C. Y. See Yang, K. S., 1033; Zhang, X., 625
Kim, C.-H.
—; Kim, H.-T.; Park, J.-K.: Novel Electrolyte System: Porous Polymeric Support Filled with Liquid Electrolyte, 1773
—; See Kim, Y.-M., 2469
Kim, D. Y. See Zhang, X., 625
Kim, G.-M.
—; Michler, G. H.; Gahleitner, M.; Fiebig, J.: Relationship Between Morphology and Micromechanical Toughening Mechanisms in Modified Polypropylenes, 1391
Kim, H. D. See Lee, K. H., 799
Kim, H. S. See Jang, J., 2297
Kim, H.-T.
—; Park, J.-K.; Lee, K.-H.: Preparation, Characterization, and Performance of Poly(acrylamidocaproic acid) Partially Neutralized with Calcium for Use in Nanofiltration, 1811
—; See Kim, C.-H., 1773
Kim, J.-H. See Hwang, J. R., 1343; Jeon, J.-Y., 1921
Kim, J.-W. See Kim, Y.-M., 2469
Kim, S.-H. See Cho, C.-S., 161
Kim, Y. J. See Park, Y. H., 865
Kim, Y.-M.
—; Kim, C.-H.; Park, J.-K.; Kim, J.-W.; Min, T.-I.: Short Chain Branching Distribution and Thermal Behavior of High Density Polyethylene, 2469
Kiparissides, C. See Bachtsi, A. R., 9
Kishore, K. See Gangadhara, 791
Kitoh, S.
—; Suzuki, K.; Kiyohara, T.; Kurita, K.: Adhesive Monomers to Dental Ceramics. III. Influence of Surface Treatment on Effective Adhesion of Calcium Metaphosphate Ceramic with *N*-(Vinylbenzyl)iminodiacetic Acid, 1821
Kiyohara, T. See Kitoh, S., 1821
Kizilcan, N.
—; Akar, A.: Modification of Acetophenone–Formaldehyde and Cyclohexanone–Formaldehyde Resins, 465
Klein, M. See Braun, D., 981
Knight, G. W. See Patel, R. M., 749
Ko, S. W. See Um, S. I., 1587
Kobayashi, T. See Wang, H. Y., 2339
Kokot, S. See Yang, P., 1137
Koningsveld, R. See De Cooman, R., 1127
Koo, S.-H. See Hwang, J. R., 1343
Koyama, K. See Yoshii, F., 617
Krishnamurthy, V. N. See Nair, P. D., 1321
Kubota, H. See Kuwabara, S., 1965
Kulkarni, A.
—; Mukherjee, D.; Gill, W. N.: Enhanced Transport Properties of Reverse Osmosis Membranes by Chemical Treatment, 483
Kumagai, H. See Chu, C.-H., 1041
Kumar, A. See Kamle, S., 343
Kumar, J. See Masse, C. E., 513
Kumaran, M. G. See Anil Kumar, S., 735
Kumazawa, H.
—; Bae, S.-Y.: Sorption and Permeation Behavior for a Gas in Glassy Polymer Membrane Near the Glass Transition Temperature, 115
Kuo, J. F. See Wang, C. C., 493
Kuo, P.-L.
—; Chen, W.-H.; Wu, C.-C.: Functional Polymers for Colloidal Applications (X). Syntheses of Graft-Charged Naphthalene-Formaldehyde Condensates and Their Ability to Dipserse Dyes, 815
Kurita, K. See Kitoh, S., 1821
Kurose, I. See Yamaura, K., 897
Kuwabara, S.
—; Kubota, H.: Water-Absorbing Characteristics of Acrylic Acid-Grafted Carboxymethyl Cellulose Synthesized by Photografting, 1965
Kuyulu, A. See Salahov, M. S., 1629
Kwon, J.-K. See Cho, C.-S., 161

Lafontaine, E. See Yang, Y.-S., 2419
Lai, Y.-C.
The Role of Bulky Polysiloxanylalkyl Methacrylates in Polyurethane–Polysiloxane Hydrogels, 1193
Lang, J. C. See Hu, Z., 221
Laskar, N. C. See Baruah, S. D., 649
Lautenschlager, E. P. See Waldmeier, M. D., 1169, 2025, 2033, 2489
Lawther, J. M.
—; Sun, R.; Banks, W. B.: Effects of Extraction

Conditions and Alkali Type on Yield and Composition of Wheat Straw Hemicellulose, 1827
Le Golvan, M. P. See Andrianov, A. K., 2289
Lee, B. C. See Kang, C.-K., 2007
Lee, D. C. See Park, L. S., 2059
Lee, G. F. See Hartmann, B., 1985
Lee, J. D. See Hartmann, B., 1985
Lee, J. J.
—; Shieh, R. M.; Chang, H. H.; Chao, D. Y.: On the Study of a PV Fast Maroon HFM Pigment-Based Polyurethane Ionomer, 2265
Lee, K. H.
—; Kim, B. K.; Kim, H. D.: Preparation and Properties of UV Curable Polyurethane Acrylates, 799
Lee, K.-H. See Jegal, J., 1177; Kim, H.-T., 1811
Lee, S. H. See Kang, B. G., 1977; Yoon, B. S., 1677
Lee, S.-H. See Sassi, A. P., 225
Lee, W.-F.
—; Huang, G.-Y.: Polysulfobetaines and Corresponding Cationic Polymers. VI. Synthesis and Aqueous Solution Properties of Cationic Poly(methyl iodide quaternized acrylamide-*N,N*-dimethylaminopropyl-maleimide copolymer) [Poly(MIQADMAPM)], 187
Leite, C. A. P. See Soares, R. F., 2001
Lenk, W. See Garg, D. H., 2087
Levy, L. B.
The Inhibition of Butyl Acrylate by *p*-Methoxyphenol, 2481
Li, B. See Siddiq, M., 1995
Li, G. Z.
—; Ye, M. L.; Shi, L. H.: Study on Mechanical Properties of Polystyrene/Polyphenylsilsesquioxane *In Situ* Blend, 1163
Li, J.
—; Tachihara, K.; Nagai, K.; Nakagawa, T.; Wang, S.: Selective Permeation of Sour Gases Through Polymeric Membranes Modified by Sulfolanes. I. Study of Selective Permeation of CO_2 Through Modified Polymeric Membranes Determined on Different Systems, 1645
Li, M.
—; Zhou, E.; Xu, J.; Chen, X.: Synthesis and Thermal Transitional Properties of Side-Chain Liquid Crystalline Polyacrylates Containing *para*-Nitroazobenzene as Mesogenic Groups, 2185
Li, S. See Jia, W., 2317
Li, Y.-J. See Chen, T.-M., 455
Lichtenhan, J. D. See Gilman, J. W., 591
Lin, C.-C. See Song, W.-J., 1505
Lin, F. Y. See Chern, C. S., 1301
Lin, Y.
—; Yasuda, H.: Effect of Plasma Polymer Deposition Methods on Copper Corrosion Protection, 543
—; Yasuda, H.: Hydrocarbon Barrier Performance of Plasma Surface-Modified Polyethylene, 2227
Linden, L. Å. See Kaczmarek, H., 2321
Liu, J. See De Yao, K., 279; Wang, P. H., 923; Ye, C., 1877
Liu, W. G. See Xu, M. X., 1595
Liu, Y.
—; Truss, R. W.: A Study of Dispersion Morphologies of Isotactic Polypropylene and Linear Low Density Polyethylene Blends by Scanning Electron Microscopy, 1461
—; See An, J., 1803
Liu, Z.
—; Hao, S.; Zheng, P.; Ding, Y.: Synthesis and Characterization of (3,4-diphenyl-2,5-dimethyl)phenyl–Polyvinyl Silicon Oils, 1089
Lopes da Silva, J. A. See De Yao, K., 279
Lopez, J. See Jimenez, A., 2041
López, M. L. See Compañ, V., 767
Lu, X. D. See De Yao, K., 279
Lunkwitz, K.
—; Bürger, W.; Geißler, U.; Petr, A.; Jehnichen, D.: Studies on γ-Radiation Treatment of Poly(tetrafluoroethylene) Powder, 2017
Lunkwitz, K. See Garg, D. H., 2087

Ma, M.
—; Zhu, S.; Hamielec, A. E.: Comments on "A New Copolymerization Equation" (C. Zhou and S. Lin, *J. Appl. Polym. Sci.*, 55, 641–643, 1995) (Note), 2039
Magagnini, P. L.
—; Paci, M.; Minkova, L. I.; Miteva, TS.; Sek, D.; Grobelny, J.; Kaczmarczyk, B.: Synthesis and Characterization of a PE-*g*-LCP Copolymer, 1665
Mahajan, S. J.
—; Deopura, B. L.; Wang, Y.: Fibrillation Behavior of Oriented Tapes of Polyethylene and Its Blends. Part IV, 1551
—; Deopura, B. L.; Wang, Y.: Structure–Morphology and Tear Strength of Oriented Tapes of Polyethylene and Its Blends. Part III, 1539
—; Deopura, B. L.; Wang, Y.: The Structure and Properties of Drawn Tapes of High-Density Polyethylene/Ethylene Copolymer Blends. Part I, 1517
—; Deopura, B. L.; Wang, Y.: The Structure and Properties of Drawn Tapes of High-Density Polyethylene/

Ethylene-Propylene Copolymer Blends. Part II, 1527
Mahesh, G. N.
—; Ramesh, S.; Radhakrishnan, G.: Segmented Polyurethanes Using Fluorescein, 531
Maiti, S. N. See Ghosh, K., 323
Makuuchi, K. See Yoshii, F., 617
Malhotra, B. D. See Ram, M. K., 407; Ramanathan, K., 2309
Mandrand, B. See Veron, L., 235
Manero, O. See Alcántar, N. A., 481
Mantecón, A. See Galià, M., 2177
Marcu, M. See Cazacu, M., 731
Marletta, G. See Tóth, A., 1883
Martin, D. J.
—; Meijs, G. F.; Renwick, G. M.; Gunatillake, P. A.; McCarthy, S. J.: Effect of Soft-Segment CH_2/O Ratio on Morphology and Properties of a Series of Polyurethane Elastomers, 557
Maruyama, H. See Miyazaki, H., 2149
Massafra, M. R. See Freddi, G., 1867
Masse, C. E.
—; Conroy, J. L.; Cazeca, M.; Jiang, X. L.; Sandman, D. J.; Kumar, J.; Tripathy, S. K.: Second-Order Nonlinear Optical Properties of a Photocrosslinkable Epoxy-Based Polymer, 513
Masson, E.
—; Merlin, A.; Pizzi, A.: Comparative Kinetics of Induced Radical Autocondensation of Polyflavonoid Tannins. I. Modified and Nonmodified Tannins, 263
—; Pizzi, A.; Merlin, A.: Comparative Kinetics of the Induced Radical Autocondensation of Polyflavonoid Tannins. III. Micellar Reactions vs. Cellulose Surface Catalysis, 1655
Matricală, C. See Cazacu, M., 731
Matsumoto, K.
—; Uejima, H.; Iwasaki, T.; Sano, Y.; Sumino, H.: Studies on Regenerated Protein Fibers. III. Production of Regenerated Silk Fibroin Fiber by the Self-Dialyzing Wet Spinning Method, 503
Matsuura, T. See Yamasaki, A., 743
Matynia, T.
—; Gawdzik, B.; Chmielewska, E.: Synthesis and Properties of Porous Copolymers of 4,4′-bismaleimido Diphenyl Methane and Styrene, 1971
McCaffrey, W. C.
—; Brues, M. J.; Cooper, D. G.; Kamal, M. R.: Thermolysis of Polyethylene/Polystyrene Mixtures, 2133
McCarthy, S. J. See Martin, D. J., 557
McGill, W. J. See Geyser, M., 425, 431, 439, 449
McIntyre, D. See Schloman, W. W., Jr., 1015
Meijs, G. F. See Martin, D. J., 557
Mensitieri, G. See Esposito, F., 2403
Mera, A. E.
—; Snow, A. W.: Analysis of Volatiles Evolved During High-Temperature Treatment of Thermally Stable Polymers. II. Polybutadiyne, 609
Merino, J. C. See Rodríguez-Cabello, J. C., 1709
Merlin, A. See Masson, E., 263, 1655
Miao, J. See Ulcer, Y., 669
Michel, A. See Flores, R., 1439
Michler, G. H. See Kim, G.-M., 1391
Min, T.-I. See Kim, Y.-M., 2469
Minkova, L. I. See Magagnini, P. L., 1665
Misra, M. See Mohanty, A. K., 931
Miteva, TS. See Magagnini, P. L., 1665
Mitra, B. C. See Banerjee, A. N., 139; Saha, N., 657
Miyazaki, H.
—; Terada, K.; Sato, T.; Maruyama, H.; Okaya, T.: Effect of Poly(vinyl acetate/vinyl alcohol) Copolymer with a Thiol End Group as a Steric Stabilizer on Dispersion Polymerization of Styrene, 2149
Mo, Z. See Ye, C., 1877
Mohanty, A. K.
—; Parija, S.; Misra, M.: Ce(IV)–*N*-Acetylglycine Initiated Graft Copolymerization of Acrylonitrile onto Chemically Modified Pineapple Leaf Fibers, 931
Molinie, P. See Safoula, G., 1733
Monte, D. See Galià, M., 2177
Morales, E. See Acosta, J. L., 1185
Mortaigne, B. See Yang, Y.-S., 2419
Mortimer, S. A.
—; Péguy, A. A.: Methods for Reducing the Tendency of Lyocell Fibers to Fibrillate, 305
—; Peguy, A. A.: The Influence of Air-Gap Conditions on the Structure Formation of Lyocell Fibers, 1747
Moura Ramos, J. J. See Dionísio, M. S. C., 903
Mukherjee, D. See Kulkarni, A., 483
Murthy, L. V. R.
—; Pandey, A. C.; Srivastava, A. K.; Chauhan, R. S.: Effect of Sulfur Mustard on Microhardness of Poly(ethylene terephthalate) Films, 147

Mustafaev, M. I. See Özeroğlu, C., 759

Nabeth, B.
—; Gerard, J. F.; Pascault, J. P.: Dynamic Mechanical Properties of UV-Curable Polyurethane Acrylate with Various Reactive Diluents, 2113
Nagai, K. See Li, J., 1645
Nagasawa, N. See Arai, K., 169
Naghash, H. J.
—; Okay, O.: Formation and Structure of Polyacrylamide Gels, 971
Nair, A.
—; White, R. L.: Effects of Inorganic Oxides on Polymer Binder Burnout, Part I: Poly(vinyl butyral), 1901
—; White, R. L.: Effects of Inorganic Oxides on Polymer Binder Burnout, Part II: Poly(butyl methacrylate), 1911
Nair, K. C. M.
—; Diwan, S. M.; Thomas, S.: Tensile Properties of Short Sisal Fiber-Reinforced Polystyrene Composites, 1483
Nair, P. D.
—; Krishnamurthy, V. N.: Polyurethane–Polymethylmethacrylate Interpenetrating Polymer Networks. I. Synthesis, Characterization, and Preliminary Blood Compatibility Studies, 1321
Naito, S. See Arai, K., 169
Nakagawa, T. See Li, J., 1645
Nakamura, K. See Chu, C.-H., 1041
Nakaya, T. See Chen, T.-M., 455
Nam, S. W. See Park, Y. H., 865
Narkis, M. See Yuan, Y., 1475
Nasr, E. M. See Fouda, I. M., 1247, 1269
Neoh, K. G. See Zhang, X., 625
Newell, J. A.
—; Edie, D. D.; Fuller, E. L., Jr.: Kinetics of Carbonization and Graphitization of PBO Fiber, 825
Ng, S. C. See Chieng, T. H., 1561
Nicolais, L. See Esposito, F., 2403
Nicole, D. See Swistek, M., 1637
Nishina, T. See Iijima, T., 37
Nishiyama, F. See Tamai, H., 1727
Niu, B.-J.
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. XI. The Effect of Sty/*n*-BA Copolymer Composition on the Orientation of SDOSS Surfactant Molecules, 371
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. XII. Particle Size Effect and Surfactant Behavior in Electrodeposited Sty/*n*-BA Latex Films, 379
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. XIII. Surfactant Exudation in Silicone-Modified Latex Films, 389
Noniewicz, K.
—; Brzozowski, Z. K.; Zadrożna, I.: UV-Sensitive Polyarylates as Photolithographic Emulsions, 1071
Nowak, M. D. See Waldmeier, M. D., 2033, 2489

Obo, M. See Tsukada, M., 1619
Obolonkova, E. S. See Gorelova, M. M., 363
Obradovic, T. See Cvetkovska, M., 2049
O'Connor, P. J. See Ellaboudy, A. S., 637
Ogawa, T. See Inoue, H., 123, 201
Okay, O. See Naghash, H. J., 971
Okaya, T. See Miyazaki, H., 2149
Okubo, M.
—; Yamashita, T.; Shiozaki, M.: Thermodynamics of High Swelling of Polymer Particles with a Large Amount of Monomer Utilizing the Dynamic Swelling Method, 1025
Ou, C.-F. See Song, W.-J., 1505
Özarslan, Ö. See Salahov, M. S., 1629
Özeroğlu, C.
—; Güney, O.; Sezai Saraç, A.; Mustafaev, M. I.: The Polymerization of Acrylamide Initiated with Ce(IV) and $KMnO_4$ Redox Systems in the Presence of Glycine, 759

Paci, M. See Magagnini, P. L., 1665
Pagès, P.
—; Carrasco, F.; Saurina, J.; Colom, X.: FTIR and DSC Study of HDPE Structural Changes and Mechanical Properties Variation When Exposed to Weathering Aging During Canadian Winter, 153
Palumbo, M.
—; Donzella, G.; Tempesti, E.; Ferruti, P.: On the Compressive Elasticity of Epoxy Resins Filled with Hollow Glass Microspheres, 47
Pande, C. S.
—; Gupta, N.: Functionalization of Crosslinked Polystyrene by Radiation-Induced Grafting, 1601
Pandey, A. C. See Murthy, L. V. R., 147
Parija, S. See Mohanty, A. K., 931
Park, C. R. See Park, Y. H., 865
Park, J.-K. See Kim, C.-H., 1773; Kim, H.-T., 1811; Kim, Y.-M., 2469
Park, L. S.
—; Do, J. H.; Lee, D. C.: Melt Polymerization of Copoly(ethylene

terephthalate/imide)s and Thermal Properties, 2059
Park, S. Y. See Park, Y. H., 865
Park, Y. H.
—; Park, S. Y.; Nam, S. W.; Park, C. R.; Kim, Y. J.: Preparation and Properties of Conducting Arachidic Acid/Poly(pyrrole) Composite Langmuir–Blodgett Films, 865
—; See Sassi, A. P., 225
Pascault, J. P. See Nabeth, B., 2113
Pastor, J. M. See Rodríguez-Cabello, J. C., 1709
Patel, R. M.
—; Sehanobish, K.; Jain, P.; Chum, S. P.; Knight, G. W.: Theoretical Prediction of Tie-Chain Concentration and Its Characterization Using Postyield Response, 749
Pedrelli, T. See Siciliano, A., 1757
Péguy, A. A. See Mortimer, S. A., 305
Peguy, A. A. See Mortimer, S. A., 1747
Pekcan, Ö.
—; Canpolat, M.; Kaya, D.: *In Situ* Fluorescence Experiments for Real-Time Monitoring of Annealed High-*T* Latex Film Dissolution, 2105
Peppas, N. A. See Sundaram, N., 95
Perez, J. See Flores, R., 1439
Pertsin, A. J. See Gorelova, M. M., 363
Petr, A. See Lunkwitz, K., 2017
Pey, K. L. See Chieng, T. H., 1561
Pichot, C. See Veron, L., 235
Pillai, V. N. R. See Abraham, J., 2347; Jose, L., 1855
Pinto, J. C. See Fonseca De Freitas, M., 1109
Pişkin, E. See Bulmuş, V., 697; Salih, B., 871
Pixa, R. See Sterzynski, T., 1201
Pizzi, A. See Masson, E., 263, 1655
Poehlein, G. W. See Wang, S. T., 2069
Poh, B. T.
—; Chen, M. F.; Ding, B. S.: Cure Characteristics of Unaccelerated Sulfur Vulcanization of Epoxidized Natural Rubber, 1569
Prasad, V. S. K. See Anil Kumar, S., 735
Prausnitz, J. M. See Sassi, A. P., 225
Priou, C. See Castellanos, F., 705

Qi, G. R. See Qian, J. W., 1575
Qian, J. W.
—; Qi, G. R.; Xu, Y. L.; Yang, S. L.: Solvent Effect on the Action of Ethylene-Vinyl Acetate Copolymer Pour Point Depressant in Waxy Solutions, 1575
Qian, R. See Wang, S., 1385
Que Hee, S. S. See Tsai, C.-H., 833

Rabek, J. F. See Kaczmarek, H., 2321
Radhakrishnan, G. See Mahesh, G. N., 531; Ramesh, S., 2273
Radloff, D.
—; Spiess, H. W.; Books, J. T.; Dowling, K. C.: Interaction Between Polybrominated Flame Retardants and High Impact Polystyrene, 715
Rahn, K. See Heinze, T., 1891
Rakshit, A. K. See Vangani, V., 1005
Ram, M. K.
—; Annapoorni, S.; Malhotra, B. D.: Electrical Properties of Metal/Langmuir–Blodgett Layer/Semiconductive Devices, 407
—; See Ramanathan, K., 2309
Ramanathan, K.
—; Ram, M. K.; Verghese, M. M.; Malhotra, B. D.: Dielectric Spectroscopic Studies on Polypyrrole Glucose Oxidase Films, 2309
Ramesh, S.
—; Radhakrishnan, G.: Polyurethane Anionomers Using Phenolphthalins II., 2273
—; See Mahesh, G. N., 531
Rao, N. B. S. N. See Semwal, R. P., 29
Rawat, S. P. S.
—; Khali, D. P.: Enthalpy–Entropy Compensation During Sorption of Water in Wood, 787
Reedijk, J. See Feng, M., 477
Refai, R. See Hebeish, A., 2165
Reimers, J. L.
—; Schork, F. J.: Predominant Droplet Nucleation in Emulsion Polymerization, 251
Remsen, E. E. See Shiundu, P. M., 1695
Renwick, G. M. See Martin, D. J., 557
Riande, E. See Compañ, V., 767
Ribes, A. See Compañ, V., 767
Rivas, B. L. See Geckeler, K. E., 2191
Rodríguez-Cabello, J. C.
—; Alonso, M.; Merino, J. C.; Pastor, J. M.: Scanning Electron Microscopy and Differential Scanning Calorimetry Study of the Transition Front in Uniaxially Stretched Isotactic Polypropylene, 1709
Roy, A. See Biswas, M., 143
Rudin, A. See Blom, H. P., 1405
Rui, C.-G. See Huang, Z.-E., 573
Russo, R.
—; Vittoria, V.: Determination of Intrinsic Birefringence of Smectic Phase in Isotactic Polypropylene, 955
Rybka, V. See Jankovskij, O., 1455

Safoula, G.
—; Bernede, J. C.; Alimi, K.; Molinie, P.; Touihri, S.: Study of the Evolution of

the Conductivity of Iodine-Doped Poly(*N*-Vinylcarbazole) as a Function of Annealing Treatment, 1733

Saha, N.
—; Banerjee, A. N.; Mitra, B. C.: Dynamic Mechanical Study on Unidirectional Polyethylene Fibers–PMMA and Glass Fibers–PMMA Composite Laminates, 657
—; See Banerjee, A. N., 139

Saitoh, H. See Wang, H. Y., 2339

Saitoh, J. See Yoshii, F., 617

Sakurai, I. See Chen, T.-M., 455

Salahov, M. S.
—; Salahova, R.; Özarslan, Ö.; Yilmaz, T.; Güngör, A.; Kuyulu, A.: Synthesis of Novel Brominated Bis-tetrahydrophthalimides and Bis-nadimides and Their Possible Application as Flame-Retardant Additives for Polystyrene Composites, 1629

Salahova, R. See Salahov, M. S., 1629

Salch, J. H. See Trimnell, D., 285

Salih, B.
—; Denizli, A.; Engin, B.; Tuncel, A.; Pişkin, E.: Congo Red-Attached Poly(EGDMA-HEMA) Microspheres as Specific Sorbents for Removal of Cadmium Ions, 871

Samantaray, B. K. See Sao, K. P., 919

Samaranayake, G. See Toffey, A., 75

Sánchez, G. See Carriedo, G. A., 2307

Sandman, D. J. See Masse, C. E., 513

Sano, Y. See Matsumoto, K., 503

Santhanalakshmi, J.
—; Anandhi, K.: Influences of Initiators and Cosurfactants on Microemulsion Polymerization of Vinyltoluene, 293

Sao, K. P.
—; Samantaray, B. K.; Bhattacherjee, S.: X-Ray Line Profile Analysis in Alkali-Treated Ramie Fiber (Note), 919

Sasaki, Y. See Inoue, H., 123, 201

Sassi, A. P.
—; Lee, S.-H.; Park, Y. H.; Blanch, H. W.; Prausnitz, J. M.: Sorption of Lysozyme by HEMA Copolymer Hydrogels, 225

Sato, T. See Miyazaki, H., 2149

Saurina, J. See Pagès, P., 153

Schäfer, F.-U. See Hourston, D. J., 2409

Scheibelhoffer, A. See Jarus, D., 209

Schlitzer, D. S. See Gilman, J. W., 591

Schloman, W. W., Jr.
—; McIntyre, D.; Hilton, A. S.; Beinor, R. T.: Effects of Environment and Composition on Degradation of Guayule Rubber, 1015

Schork, F. J. See Reimers, J. L., 251; Wang, S. T., 2069

Schulze, H. See Hicke, H.-G., 1147

Sehanobish, K. See Patel, R. M., 749

Sek, D. See Magagnini, P. L., 1665

Semwal, R. P.
—; Banerjee, S.; Chauhan, L. R.; Bhattacharya, A.; Rao, N. B. S. N.: Study of Diffusion and Sorption of Bis-(2-chloroethyl)sulfide (SM) and Bis-(2-chloroethyl)ether (OM) Through Polypropylene (PP) and Biaxial-Oriented Polypropylene (BOPP) Films by the FTIR–ATR Spectroscopic Method, 29

Serra, A. See Galià, M., 2177

Severgnini, D. See Siciliano, A., 1757

Seves, A. See Beltrame, P. L., 579; Siciliano, A., 1757

Sezai Saraç, A. See Özeroğlu, C., 759

Shen, D. See Wang, S., 1385

Shen, J. See Wu, S., 2159

Sheng, J.
—; Hu, J.: Graft-Polymerization of Styrene Onto Random Ethylene-Propylene Diene Monomer, 1499

Shi, L. See Ye, M., 317

Shi, L. H. See Li, G. Z., 1163

Shibata, S. See Freddi, G., 1867

Shieh, R. M. See Lee, J. J., 2265

Shiozaki, M. See Okubo, M., 1025

Shiraishi, N. See Yao, Y., 1939

Shiundu, P. M.
—; Remsen, E. E.; Giddings, J. C.: Isolation and Characterization of Polymeric and Particulate Components of Acrylonitrile–Butadiene–Styrene (ABS) Plastics by Thermal Field-Flow Fractionation, 1695

Shonaike, G. O.
The Influence of Impregnation Condition on Reinforced Ethylene–Vinyl–Acetate Elastomer Composite, 245

Siciliano, A.
—; Severgnini, D.; Seves, A.; Pedrelli, T.; Vicini, L.: Thermal and Mechanical Behavior of Polyamide 6/Polyamide 6I/6T Blends, 1757

Siddiq, M.
—; Wu, C.; Li, B.: Dynamic Light-Scattering Characterization of the Molecular Weight Distribution of a Broadly Distributed Phenolphthalein Poly(Aryl Ether Ketone), 1995

Siegmann, A. See Yuan, Y., 1475

Silva, E. F.
—; Soares, B. G.: Polyethylene/

Polyamide-6 Blends Containing Mercapto-Modified EVA, 1687
Simal, A. L.
—; De Araújo, M. S.: Carrier Effect on Structure and Properties of Heat-Treated PET Fibers. II. Dyeing Behavior, 2453
—; See De Araújo, M. S., 2437
Simon, F. See Garg, D. H., 2087
Simon, G. P. See Varley, R. J., 2251
Singh, M. P. See Kamle, S., 343
Smaihi, M. See Cardenas, A., 2279
Snow, A. W. See Mera, A. E., 609
Soares, B. G. See Silva, E. F., 1687
Soares, R. F.
—; Leite, C. A. P.; Botter, W., Jr.; Galembeck, F.: Inorganic Particle Coating with Poly(dimethylsiloxane), 2001
Sokkar, T. Z. See Hamza, A. A., 1289
Song, W.-J.
—; Ou, C.-F.; Lin, C.-C.: Blends of Poly(butylene terephthalate) with Co[poly(ethylene terephthalate-*p*-oxybenzoate)]: Crystallization Behaviors, 1505
Spiess, H. W. See Radloff, D., 715
Sreenivasan, K.
Grafting of β-Cyclodextrin-Modified 2-Hydroxyethyl Methacrylate onto Polyurethane, 2245
Srivastava, A. K. See Murthy, L. V. R., 147
Sterzynski, T.
—; Calo, P.; Pixa, R.; Gueugnaut, D.: Thermal Relaxation in Extrusion-Oriented Polyethylene Rods, 1201
Strehmel, B. See Strehmel, V., 1221
Strehmel, V.
—; Wetzel, H.; Strehmel, B.: Attaching of Flexible Chains to Novolacs on the Basis of Bisphenol A, 1221
Suh, M. H. See Kang, B. G., 1977; Yoon, B. S., 1677
Sumi, T. See Tamai, H., 1727
Sumino, H. See Matsumoto, K., 503
Sun, R. See Lawther, J. M., 1827
Sundaram, N.
—; Peppas, N. A.: Friction Coefficient Analysis of Multicomponent Solute Transport Through Polymer Membranes, 95
Sung, Y.-K. See Cho, C.-S., 161
Suzuki, K. See Kitoh, S., 1821
Švorčík, V. See Jankovskij, O., 1455
Swistek, M.
—; Nicole, D.: Contribution to the Modeling of Predepolymerization of Polystyrene, 1637

Tabaković, I. See Bojanić, V., 1719
Tabaković, R. See Bojanić, V., 1719
Tachihara, K. See Li, J., 1645
Taha, M. See Cassagnau, P., 1765
Tak, T.-M. See Hwang, J. R., 1343; Jeon, J.-Y., 1921, 2353
Takahashi, T.
—; Hayashi, N.; Hayashi, S.: Structure and Properties of Shape-Memory Polyurethane Block Copolymers, 1061
Tamai, H.
—; Sumi, T.; Nishiyama, F.; Yasuda, H.: Preparation of Ultrafine Metal Particle-Supported Fine Carbon Particles, 1727
Tan, K. L. See Zhang, X., 625
Tanaka, T. See Yoshii, F., 617
Tang, G. See Ye, C., 1877
Tang, H.
—; Dong, L.; Zhang, J.; Ding, M.; Feng, Z.: Miscibility, Crystallization, and Morphology Studies of Thermosetting Polyimide PMR-15/PEK-C Blends, 725
Tanigami, T. See Yamaura, K., 897
Tavares, M. I. B. See Da Silva, N. M., 663, 1419
Teh, J. W. See Blom, H. P., 1405
Tempesti, E. See Palumbo, M., 47
Teng, G.
—; Jones, F. N.: End-Grafting of Oligoesters Based on Terephthalic Acid and Linear Diols for High Solids Coatings, 1609
Terada, K. See Miyazaki, H., 2149
Thomas, S. See Anil Kumar, S., 735; Nair, K. C. M., 1483; Unnikrishnan, G., 963
Tidjani, A.
—; Watanabe, Y.: Study of the Effect of γ-Dose Rate on the Oxidation of Polypropylene, 1839
Tock, R. W. See Keshavaraj, R., 2329
Toffey, A.
—; Samaranayake, G.; Frazier, C. E.; Glasser, W. G.: Chitin Derivatives. I. Kinetics of the Heat-Induced Conversion of Chitosan to Chitin, 75
Tomoi, M. See Iijima, T., 37
Tóth, A.
—; Khotimsky, V. S.; Bertóti, I.; Marletta, G.: Particle-Beam Treatment of Organosilicon Gas Separation Membranes: A Novel Way of Controlling Their Mass Transport Properties, 1883
Tou, J. C. See Ellaboudy, A. S., 637
Touihri, S. See Safoula, G., 1733
Trimnell, D.
—; Fanta, G. F.; Salch, J. H.: Graft Polymerization of Methyl Acrylate onto

Granular Starch: Comparison of the Fe^{+2}/H_2O_2 and Ceric Initiating Systems, 285
Tripathy, D. K. See Datta, S. K., 1329
Tripathy, S. K. See Masse, C. E., 513
Truss, R. W. See Liu, Y., 1461
Tsai, C.-H.
—; Que Hee, S. S.: Permeation of Alkylbenzene Isomers of Molecular Weight 120 Through Nitrile Gloves, 833
Tsuji, H.
—; Ikada, Y.: Blends of Aliphatic Polyesters. I. Physical Properties and Morphologies of Solution-Cast Blends from Poly(DL-lactide) and Poly(ε-caprolactone), 2367
Tsukada, M.
—; Obo, M.; Kato, H.; Freddi, G.; Zanetti, F.: Structure and Dyeability of *Bombyx mori* Silk Fibers with Different Filament Sizes, 1619
—; See Freddi, G., 1867
Tsunasawa, H. See Hamada, H., 353
Tu, H. L. See De Yao, K., 279
Tuncel, A. See Bulmuş, V., 697; Salih, B., 871
Tung, J. F. See Wang, J., 1425
Tyagi, R. K. See Yamasaki, A., 743

Uejima, H. See Matsumoto, K., 503
Ulbricht, M. See Hicke, H.-G., 1147
Ulcer, Y.
—; Cakmak, M.; Miao, J.; Hsiung, C. M.: Structural Gradients Developed in Injection-Molded Syndiotactic Polystyrene (sPS), 669
Um, S. I.
—; Ko, S. W.: Morphological Core/Shell Structure and Dispersion Stability of Water-Dispersible Copolyester Graft Polymerized with Acrylic Acid and Ethyl Acrylate, 1587
Unnikrishnan, G.
—; Thomas, S.: Molecular Transport of Benzene and Methyl-Substituted Benzenes into Filled Natural Rubber Sheets, 963
Upreti, S. R. See Kamle, S., 343
Urban, M. W. See Niu, B.-J., 371, 379, 389
Uyanik, N. See Baysal, B. M., 1369

van Berkel, P. M. See Feng, M., 477
van der Does, L. See Feng, M., 477
Vandeweerdt, P. See De Cooman, R., 1127
Vangani, V.
—; Rakshit, A. K.: Synthesis and Characterization of Homopolymer of 2-Ethylhexyl Acrylate and Its Copolymers with Acrylamide, Acrylonitrile, and Methyl Methacrylate, 1005
Varley, R. J.
—; Hodgkin, J. H.; Hawthorne, D. G.; Simon, G. P.: Toughening of a Trifunctional Epoxy System. II. Thermal Characterization of Epoxy/Amine Cure, 2251
Verghese, M. M. See Ramanathan, K., 2309
Veron, L.
—; De Bignicourt, M.-C.; Delair, T.; Pichot, C.; Mandrand, B.: Syntheses of Poly[*N*-(2,2 dimethoxyethyl)-*N*-methyl acrylamide] for the Immobilization of Oligonucleotides, 235
Vicini, L. See Siciliano, A., 1757
Vilaplana, J. See Jimenez, A., 2041
Vittoria, V. See Russo, R., 955
Volkov, I. O. See Gorelova, M. M., 363
Volpi, M. See Waldmeier, M. D., 1169
Vrentas, C. M. See Vrentas, J. S., 1049
Vrentas, J. S.
—; Vrentas, C. M.: Surface Concentration Effects in the Drying of Solvent-Coated Polymer Films, 1049

Waldmeier, M. D.
—; Greener, E. H.; Lautenschlager, E. P.: Structural Identification of Prosthetics/Orthotics Polymers Using Infrared Spectral Searching, 2025
—; Greener, E. H.; Lautenschlager, E. P.; Nowak, M. D.: Effects of Simulated Clinical Fabrication Heat Treatment and Artificial Weathering on the Hardness Testing of Prosthetics/Orthotics Polymers, 2033
—; Greener, E. H.; Lautenschlager, E. P.; Nowak, M. D.: Effects of Simulated Clinical Fabrication Heat Treatment and Artificial Weathering on the Tensile Testing of Prosthetics/Orthotics Polymers, 2489
—; Greener, E. H.; Lautenschlager, E. P.; Volpi, M.: Effects of Simulated Clinical Fabrication Heat Treatment and Artificial Weathering on Degree of Crystallinity of Prosthetics/Orthotics Polymers Monitored by X-Ray Diffraction, 1169
Wang, C. C.
—; Yu, N. S.; Chen, C. Y.; Kuo, J. F.: Miniemulsion Polymerization of Styrene. I. Preparation by Redox Initiator and New Agitation Mixer, 493

Wang, C.-S.
—; Hwang, H.-J.: Synthesis and Properties of Novel Naphthalene-Containing Bismaleimides, 857
—; See Ho, T.-H., 1097
Wang, H. Y.
—; Kobayashi, T.; Saitoh, H.; Fujii, N.: Porous Polydimethylsiloxane Membranes for Enzyme Immobilization, 2339
Wang, H.-H.
—; Chang, C.-C.: Synthesis of Thermostable Polyamideimides and Their Properties, 1579
Wang, J.
—; Tung, J. F.; Fuad, M. Y. A.; Hornsby, P. R.: Microstructure and Mechanical Properties of Ternary Phase Polypropylene/Elastomer/ Magnesium Hydroxide Fire Retardant Compositions, 1425
Wang, J.-H. See Ho, T.-H., 1097
Wang, P. H.
—; Yue, Z. R.; Liu, J.: Conversion of Polyacrylonitrile Fibers to Activated Carbon Fibers: Effect of Activation, 923
Wang, S.
—; Shen, D.; Qian, R.: Infrared Spectroscopic Studies of Melting Behavior of Poly(ethylene 2,6-naphthalenedicarboxylate), 1385
—; See Li, J., 1645
Wang, S. T.
—; Schork, F. J.; Poehlein, G. W.; Gooch, J. W.: Emulsion and Miniemulsion Copolymerization of Acrylic Monomers in the Presence of Alkyd Resin, 2069
Wang, Y.
—; Huang, J.-S.: Single Screw Extrusion Compounding of Particulate Filled Thermoplastics: State of Dispersion and Its Influence on Impact Properties, 1779
Wang, Y. See Mahajan, S. J., 1517, 1527, 1539, 1551
Wang, Y.-F. See Chen, T.-M., 455
Wang, Z.
Toughening and Reinforcing of Polypropylene, 2239
Watanabe, Y. See Tidjani, A., 1839
Weng, Y. See Bai, G., 2397
Wesslén, B. See Halldén, Å., 2495
Wetzel, H. See Strehmel, V., 1221
White, J. L. See Ihm, D. J., 1
White, R. L. See Chandrasekhar, T. M., 1209; Nair, A., 1901, 1911
Wu, C. See Siddiq, M., 1995
Wu, C.-C. See Kuo, P.-L., 815
Wu, S.
—; Shen, J.: Electrorheological Properties of Chitin Suspensions, 2159

Xie, H.-Q.
—; Huang, X.-D.; Guo, J.-S.: Synthesis and Properties of Two Kinds of Nonlinear Optical Interpenetrating Polymer Networks, 537
Ximenes, M. I. N. See Feitosa De Britto, A. R., 1793
Xu, J. See Jia, L., 1231; Li, M., 2185
Xu, M. X.
—; Liu, W. G.; Fang, L. P.; Yao, K. D.: Correlation of Change in Electrical Resistance with Strain of Carbon Fiber-Reinforced Plastic in Tension, 1595
Xu, X. See Jia, L., 1231
Xu, Y. L. See Qian, J. W., 1575

Yamada, K.
—; Haraguchi, T.; Kajiyama, T.: Plasma-Graft Polymerization of Vinyl Monomers with Reactive Groups onto a Surface of Poly(*p*-phenylene terephthalamide) Fiber, 1847
Yamamoto, N. See Yanagase, A., 87
Yamasaki, A.
—; Tyagi, R. K.; Fouda, A.; Matsuura, T.: Effect of Evaporation Time on the Pervaporation Characteristics through Homogeneous Aromatic Polyamide Membranes. II. Pervaporation Performances for Ethanol/ Water Mixture, 743
Yamashita, T. See Okubo, M., 1025
Yamaura, K.
—; Kurose, I.; Tanigami, T.: Melting of Poly(vinyl Alcohol) Hydrogels, Regelling, and Remelting, 897
Yanagase, A.
—; Ito, M.; Yamamoto, N.; Ishikawa, M.: Mechanism of Enhanced Impact Strength of Poly(vinyl chloride) Modified by Acrylic Graft Copolymer, 87
Yang, K. S.
—; An, K. H.; Choi, C. N.; Jin, S. R.; Kim, C. Y.: Solubility and Esterification Kinetics of Terephthalic Acid in Ethylene Glycol III. The Effects of Functional Groups, 1033
Yang, P.
—; Kokot, S.: Thermal Analysis of Different Cellulosic Fabrics, 1137
Yang, S. L. See Qian, J. W., 1575
Yang, S. Y. See Chen, W. C., 1379
Yang, Y.-S.
Viscosities of Unsaturated Polyester Resins: Combining Effects of Prepolymer Structure, Resin Composition, and Temperature, 2387
—; Lafontaine, E.; Mortaigne, B.: NMR Characterisation

of Dicyclopentadiene Resins and Polydicyclopentadienes, 2419
Yao, K. D. See Xu, M. X., 1595
Yao, Y.
—; Yoshioka, M.; Shiraishi, N.: Water-Absorbing Polyurethane Foams from Liquefied Starch, 1939
Yasuda, H. See Lin, Y., 543, 2227; Tamai, H., 1727
Yasui, H. See Freddi, G., 1867
Ye, C.
—; Liu, J.; Mo, Z.; Tang, G.; Jing, X.: Crystal Structure of Polypropylene Filled with Rare Earth Oxides, 1877
Ye, M.
—; Han, D.; Shi, L.: Studies on Determination of Molecular Weight for Ultrahigh Molecular Weight Partially Hydrolyzed Polyacrylamide, 317
Ye, M. L. See Li, G. Z., 1163
Yen, C.-C.
Studies on the Preparation and Properties of Conductive Polymers. IX. Using Photographic Developer to Prepare Metallized Conductive Polymer Films, 605
Studies on the Preparation and Properties of Conductive Polymers. X. Using Metal Plates to Prepare Metallized Conductive Polymer Films, 693
Yie, J. E. See Kang, B. G., 1977; Yoon, B. S., 1677
Yilmaz, T. See Salahov, M. S., 1629
Yoon, B. S.
—; Suh, M. H.; Cheong, S. H.; Yie, J. E.; Yoon, S. H.; Lee, S. H.: Studies on the Degradable Polyethylenes: Use of Coated Photodegradants with Biopolymers, 1677
—; See Kang, B. G., 1977
Yoon, L. K. See Choi, C. H., 779
Yoon, S. H. See Kang, B. G., 1977; Yoon, B. S., 1677
Yoshii, F.
—; Makuuchi, K.; Kikukawa, S.; Tanaka, T.; Saitoh, J.; Koyama, K.: High-Melt-Strength Polypropylene with Electron Beam Irradiation in the Presence of Polyfunctional Monomers, 617
Yoshioka, M. See Yao, Y., 1939
Yu, N. S. See Wang, C. C., 493
Yuan, Y.
—; Siegmann, A.; Narkis, M.: Synthesis, Structure, and Properties of Poly(styrene-*co*-pentabromobenzyl acrylate) Materials, 1475
Yue, M. Z.
—; Chian, K. S.: Mechanical Properties and Morphology of Thermoplastic Polyurethane Elastomer with Poly(vinylidene fluoride) Blends, 597
Yue, Z. R. See Wang, P. H., 923

Zadrożna, I. See Noniewicz, K., 1071
Zahran, M. K. See Hebeish, A., 2165
Zanetti, F. See Tsukada, M., 1619
Zerfa, M.
—; Brooks, B. W.: Drop Coalescence Processes in Suspension Polymerization of Vinyl Chloride, 2077
Zhang, F.-P. See Huang, Z.-E., 573
Zhang, H. See Jia, L., 1231
Zhang, J. See Tang, H., 725
Zhang, X.
—; Kang, E. T.; Neoh, K. G.; Tan, K. L.; Kim, D. Y.; Kim, C. Y.: Surface Studies of Pristine and Surface-Modified Polypyrrole Films, 625
Zhao, W.
—; Jin, G.: An Experimental Study on Measurement of Poisson's Ratio with Digital Correlation Method, 1083
Zheng, P. See Liu, Z., 1089
Zhou, E. See Li, M., 2185
Zhou, R. See Geckeler, K. E., 2191
Zhu, S. See Ma, M., 2039